

	FG/FWF-40F Series	FG/FWF-60E Series	FG/FWF-60F Series	FG-80E Series	FG-90E Series	FG-100E Series	FG-100F Series	FG-200E Series	FG-300D	FG-300E Series	FG-400D	FG-400E Series	FG-500D	FG-500E Series	FG-600D
Systems															
VDOM Support	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
High Availability (HA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Dedicate CPU for Management Tasks															
IPMI Sensors									•	•	•	•	•	•	•
FortiDeploy Support	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FortiCarrier License Upgrade															
Networking															
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Jumbo Frame Support	?	•	?	•	•	•	?	•	•	•	•	•	•	•	•
VLAN	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
VLAN Switch Mode						140E/POE				•					
Hardware Switch	•	•	•	•	•	•	•	•							
ACL Offload to Switch						•	•			•		•		•	
WAN Optimization, Web Caching		61E: Disk Option Toggle	61F: Disk Option Toggle	81E: Disk Option Toggle	91E: Disk Option Toggle	101E: Disk Option Toggle	101F: Disk Option Toggle	201E: Disk Option Toggle	Disk Option Toggle	301E: Disk Option Toggle		401E: Disk Option Toggle	Disk Option Toggle	501E: Disk Option Toggle	Disk Option Toggle
Security Rating Root	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Switch Controller	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wireless Controller	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Firewall															
Server Load Balancing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SSL Offloading	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SSH Proxy						•	•	•	•	•	•	•	•	•	•
UTM															
AV Quarantine		CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB									•	•	•	•	•	•	•
nTurbo Acceleration	•	•	•	•		•	•		•	•	•	•	•	•	•
DoS Protection	CLI	CLI	CLI	CLI	CLI	CLI	CLI	•	•	•	•	•	•	•	•
Syn Proxy with NP															
DLP Fingerprinting		61E	61F	81E	91E	101E	101F	201E	•	301E		401E	•	501E	•
VPN															
L2TP client	CLI	CLI	CLI	CLI	CLI	CLI	CLI								
Log & Reporting															
Disk Logging		61E	61F	81E	91E	101E	101F	201E	•	301E		401E	•	501E	•
Local Reporting		61E	61F	81E	91E	101E	101F	201E	•	301E		401E	•	501E	•
FortiView Historical Data		61E: 1 hour	61F: 1 hour	81E: 1 hour	91E: 1 hour	101E: 24 hours	101F: 24 hours	201E: 24 hours	24 hours	301E: 24 hours		401E: 24 hours	24 hours	501E: 24 hours	24 hours

^ Doesn't support Mesh
Requires local storage

** Default 24 Hours, extension enabled via CLI
*** Dual disks

	FG-3700D	FG-3800D FG-3810D FG-3815D	FG-3960E FG-3980E	FG-5001D	FG-5001E Series	FG-VM00	FG-VM01 to VMUL								
Systems															
VDOM Support	•	•	•	•	•		•								
High Availability (HA)	•	•	•	•	•	•	•								
Dedicate CPU for Management Tasks	•	•	•	•	•										
IPMI Sensors	•	•	•	•	•										
FortiDeploy Support						•	•								
FortiCarrier License Upgrade	•	•	•	•	•	•	•								
Networking															
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•								
Jumbo Frame Support	•	•	•	•	•										
VLAN	•	•	•	•	•	•	•								
VLAN Switch Mode															
Hardware Switch		FG-3800D													
ACL Offload to Switch	•	•	•												
WAN Optimization, Web Caching	•***	•***	•***	Disk Option Toggle	5001E1:Disk Option Toggle	Disk Option Toggle / •	Disk Option Toggle / •								
Security Rating Root	•	•	•	•	•	•	•								
Switch Controller	•	•	•	•	•	•	•								
Wireless Controller	•	•	•	•	•	•	•								
Firewall															
Server Load Balancing	•	•	•	•	•	•	•								
SSL Offloading	•	•	•	•	•	•	•								
SSH Proxy	•	•	•	•	•	•	•								
UTM															
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI	CLI								
AV Extreme DB	•	•	•	•	•		•								
nTurbo Acceleration	•	•	•	•	•										
DoS Protection	•	•	•	•	•	•	•								
Syn Proxy with NP	•		•	•	•										
DLP Fingerprinting	•	•		•	5001E1	•	•								
VPN															
L2TP client															
Log & Reporting															
Disk Logging	•	•		•	5001E1	•	•								
Local Reporting	•	•		•	5001E1	•	•								
FortiView Historical Data	7 days **	7 days **		7 days **	5001E1: 7 days **	24 hours	24 hours								