

# FortiGate 900G Series

FG-900G and FG-901G



### **Highlights**

Gartner Magic Quadrant Leader for both Network Firewalls and WAN Edge Infrastructure.

Security-Driven Networking FortiOS delivers converged networking and security.

State-of-the-Art Unparalleled Performance with Fortinet's patented / SPU / vSPU processors.

Enterprise Security with consolidated AI / ML-powered FortiGuard Services.

### **Deep Visibility**

into applications, users, and devices beyond traditional firewall techniques.

## **AI/ML Security and Deep Visibility**

The FortiGate 900G Series NGFW combines Al-powered security and machine learning to deliver Threat Protection at any scale. Get deeper visibility into your network and see applications, users, and devices before they become threats.

Powered by a rich set of AI/ML security capabilities that extend into an integrated security fabric platform, the FortiGate 900G Series delivers secure networking that is broad, deep, and automated. Secure your network end to end with advanced edge protection that includes web, content, and device security, while network segmentation and secure SD-WAN reduce complexity and risk in hybrid IT networks.

Universal ZTNA automatically controls, verifies, and facilitates user access to applications, reducing lateral threats by providing access only to validated users. Ultra-fast Threat Protection and SSL Inspection provides security at the edge you can see without impacting performance.

IPS	NGFW	Threat Protection	Interfaces
26 Gbps	22 Gbps	20 Gbps	Multiple 25 GE SFP28, 10 GE SFP+, GE SFP Slots and GE RJ45



Available in



Appliance



Virtual





Cloud



Container

# **FortiOS Everywhere**

### FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/ ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

### FortiConverter Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.



# **FortiGuard Services**

### FortiGuard AI-Powered Security

FortiGuard's rich suite of security services counter threats in real time using Al-powered, coordinated protection designed by FortiGuard Labs security threat researchers, engineers, and forensic specialists.

### Web Security

Advanced cloud-delivered URL, DNS (Domain Name System), and Video Filtering providing complete protection for phishing and other web born attacks while meeting compliance.

Additionally, its dynamic inline CASB (Cloud Access Security Broker) service is focused on securing business SaaS data, while inline ZTNA traffic inspection and ZTNA posture check provide per-sessions access control to applications. It also integrates with the FortiClient Fabric Agent to extend protection to remote and mobile users.

### **Content Security**

Advanced content security technologies enable the detection and prevention of known and unknown threats and file-based attack tactics in real-time. With capabilities like CPRL (Compact Pattern Recognition Language), AV, inline Sandbox, and lateral movement protection make it a complete solution to address ransomware, malware, and credential-based attacks.

### **Device Security**

Advanced security technologies are optimized to monitor and protect IT, IIoT, and OT (Operational Technology) devices against vulnerability and device-based attack tactics. Its validated near-real-time IPS intelligence detects, and blocks known and zero-day threats, provides deep visibility and control into ICS/OT/SCADA protocols, and provides automated discovery, segmentation, and pattern identification-based policies.

### Advanced Tools for SOC/NOC

Advanced NOC and SOC management tools attached to your NGFW provide simplified and faster time-to-activation.

### SOC-as-a-Service

Includes tier-one hunting and automation, log location, 24×7 SOC analyst experts, managed firewall and endpoint functions, and alert triage.

### **Fabric Rating Security Best Practices**

Includes supply chain virtual patching, up-to-date risk and vulnerability data to deliver quicker business decisions, and remediation for data breach situations.



# Secure Any Edge at Any Scale

### Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

### ASIC Advantage



Network Processor 7 NP7

Network Processors operate inline to deliver unmatched performance and scalability for critical network functions. Fortinet's breakthrough SPU NP7 network processor works in line with FortiOS functions to deliver:

- Hyperscale firewall, accelerated session setup, and ultra-low latency
- Industry-leading performance for VPN, VXLAN termination, hardware logging, and elephant flows



Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing



### FortiCare Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare Services help thousands of organizations get the most from our Fortinet Security Fabric solution. Our lifecycle portfolio offers Design, Deploy, Operate, Optimize, and Evolve services. Operate services offer device-level FortiCare Elite service with enhanced SLAs to meet our customer's operational and availability needs. In addition, our customized account-level services provide rapid incident resolution and offer proactive care to maximize the security and performance of Fortinet deployments.

# Use Cases

### Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



### Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



### **Universal ZTNA**

- Control access to applications no matter where the user is and no matter where the application is hosted for universal application of access policies
- Provide extensive authentications, checks, and enforce policy prior to granting application access—every time
- Agent-based access with FortiClient or agentless access via proxy portal for guest or BYOD



### Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks

# Hardware

### FortiGate 900G Series



- 1. 1 × 2.5/1 GE RJ45 HA Port
- 2. 1 x GE RJ45 Management Port
- 3. 16 x GE RJ45 Ports
- 4. 8 x GE SFP Slots
- 5. 4 × 10GE/GE SFP+/SFP Slots
- 6.  $4 \times 25$ GE/10GE SFP28/SFP+ ULL (ultra-low latency) Slots



### **Trusted Platform Module (TPM)**

The FortiGate 900G Series features a dedicated module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys. Hardware-based security mechanisms protect against malicious software and phishing attacks.

### **Access Layer Security**

FortiLink protocol enables you to converge security and the network access by integrating the FortiSwitch into the FortiGate as a logical extension of the NGFW. These FortiLink enabled ports can be reconfigured as regular ports as needed.

# **Specifications**

Hardware Accelerated 25 GE SFP28 / 10 GE4Hardware Accelerated 10 GE SFP / GE SFP4Hardware Accelerated GE SFP Slots8Hardware Accelerated GE SFP Slots8Hardware Accelerated GE RJ45 Slots162.5 GF / GE HA Port1OB Ports (Client / Server)2 / 2Console Port1Onboard StorageNoZx SFP SXSystem Performance — Enterprise Traffic MixUSB Ports (Client / Server)2 C 6 GbpsNGFW Throughput 2.42 C 6 GbpsSystem Performance — Enterprise Traffic MixUPV Firewall Throughput 2.42 C 6 GbpsSystem Performance and CapacityUPV4 Firewall Throughput 2.42 C 6 GbpsSystem Performance and CapacityUPV4 Firewall Throughput 2.42 0 GbpsSystem Performance and CapacityUPV4 Firewall Throughput 164/ 163 / 153 GbpsFirewall Catency (64 byte, UDP)3.78 / 2.5 µs*Firewall Catency (64 byte, UDP)3.78 / 2.5 µs*Concurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000UPSec VPN Throughput (512 byte)'55 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL Inspection Throughput (HTTP 64K)27.4.8 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)16.7 GbpsSSL Inspection Concurrent Session (IPS, avg HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)		FG-900G	FG-901G
SFP+ Ultra Low Latency SlotsHardware Accelerated 10 GE SFP+ / GE SFP4Hardware Accelerated GE SFP Slots8Hardware Accelerated GE RJ45 Slots162.5 GE / GE HA Port1GE Management Port1USB Ports (Client / Server)2 / 2Console Port1Onboard StorageNo2x 480 GBTrusted Platform Module (TPM)YesIncluded Transceivers2x SFP SXSystem Performance — Enterprise Traffic MixUPS Throughput 2.422 G GbpsNGFW Throughput 2.422 G bpsSystem Performance and CapacityUPV4 Firewall Throughput 2.420 GbpsSystem Performance and CapacityUPV4 Firewall Throughput 2.422 GbpsUPV4 Firewall Throughput 164 / 163 / 153 GbpsFirewall Throughput (S12 byte)164 / 163 / 153 GbpsFirewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000Disec VPN Throughput (S12 byte)'55 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Concurrent Session16 MillionSSL Inspection Throughput16.7 GbpsConcurrent Session16 MillionSSL Inspection Concurrent Session16 Million(IPS, avg HTTPS) <sup>3</sup> 18 000SSL Inspection Concurrent Session16 Million(IPS, avg HTTPS) <sup>3</sup> 18 000SSL Inspection Concurrent Session16 Million(IPS, avg HTTPS) <sup></sup>	Interfaces and Modules		
Slots Hardware Accelerated CE SPP Slots Hardware Accelerated CE RJ45 Slots Hardware Accelerated CE RJ45 Slots Hardware Accelerated CE RJ45 Slots Co GE HA Port Co Slot Port Console Console Port Console	Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ Ultra Low Latency Slots	4	
Hardware Accelerated GE RJ45 Slots         16           2.5 GE / GE HA Port         1           GE Management Port         1           USB Ports (Client / Server)         2 / 2           Console Port         1           Onboard Storage         No         2× 480 GB           Trusted Platform Module (TPM)         Yes           Included Transceivers         2x SFP SX           System Performance — Enterprise Traffic Mix         PS           IPS Throughput 2*         26 Gbps           NGFW Throughput 2*4         22 Gbps           NGFW Throughput 2*4         22 Gbps           System Performance and Capacity         PV4 Firewall Throughput 164 / 163 / 153 Gbps           IPv4 Firewall Throughput 151 byte, UDP)         164 / 163 / 153 Gbps           Firewall Throughput (Packet per Second)         229.5 Mpps           Concurrent Sessions (TCP)         16 Million           New Sessions/Second (TCP)         720 000           Firewall Policies         10 000           IPsec VPN Throughput (512 byte) 1         55 Gbps           Gateway-to-Gateway IPsec VPN Tunnels         2000           Client-to-Gateway IPsec VPN Tunnels         0000           SSL Inspection Chroughput (HTTP 64K) <sup>2</sup> 74.8 Gbps           CAPWAP Throughput (HTTP 64	Hardware Accelerated 10 GE SFP+ / GE SFP Slots	4	
2.5 GE / GE HA Port1GE Management Port1USB Ports (Client / Server)2 / 2Console Port1Onboard StorageNo2× 480 GBTrusted Platform Module (TPM)YesIncluded Transceivers2x SFP SXSystem Performance — Enterprise Traffic Mix1IPS Throughput 226 GbpsNGFW Throughput 2.422 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPs Firewall Throughput 2.520 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPs Firewall Throughput 2.6 & byte, UDP)164 / 163 / 153 GbpsIPs Firewall Throughput164 / 163 / 153 GbpsConcurrent Sesions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)'55 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL Inspection CNC (IPs, ang, HTTPS)318 000SSL Inspection Concurrent Sesion1.6 MillionSSL Inspection Concurrent Sesion	Hardware Accelerated GE SFP Slots	8	
GE Management Port1USB Ports (Client / Server)2 / 2Console Port1Onboard StorageNo2× 480 GBTrusted Platform Module (TPM)YesIncluded Transceivers2x SFP SXSystem Performance — Enterprise Traffic Mix26 GbpsIPS Throughput 2.422 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPv4 Firewall Throughput 2.520 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPv4 Firewall Throughput 10Pv1164 / 163 / 153 GbpsIPv5 Firewall Throughput164 / 163 / 153 GbpsIPv6 Firewall Throughput164 / 163 / 153 GbpsIPv6 Firewall Throughput164 / 163 / 153 GbpsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPve6 Firewall Policies10 000Geteway-to-Gateway IPsec VPN Tunnels2000Concurrent SL-VPN Throughput10 GbpsConcurrent SL-VPN Users (Recommended Maximum, Tunnel Mode)16.7 GbpsSL Inspection Chrol Throughput (HTTP 64K)70 GbpsCAPWAP Throughput (HTTP 64K)74.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs (Total / Tunnel)1024 / 512Maximum Number of FortiAPs (Total / Tunnel)5000	Hardware Accelerated GE RJ45 Slots	16	i
Like and the second s	2.5 GE / GE HA Port	1	
Console Port1Onboard StorageNo2× 480 GBTrusted Platform Module (TPM)YesIncluded Transceivers2x SFP SXSystem Performance — Enterprise Traffic Mix1IPS Throughput 226 GbpsNGFW Throughput 2.422 GbpsSystem Performance and Capacity20 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsFirewall Throughput (1518 / 512 / 64 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)'55 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-VPN Throughput (10 Gbps10 000SSL-VPN Throughput (10 Gbps10.000SSL Inspection CPS (IPS, avg, HTTPS)318 000SSL Inspection CPS (IPS, avg, HTTPS)318 000SSL Inspection CPS (IPS, avg, HTTPS)318 000SSL Inspection Concurrent Session10 / 10Maximum Number of FortiSwitches96Waximum Number of FortiAPs (Total / Tunnel)1024 / 512	GE Management Port	1	
No2× 480 GBOnboard StorageNo2× 480 GBTrusted Platform Module (TPM)YesIncluded Transceivers2x SFP SXSystem Performance — Enterprise Traffic MixPPS Throughput 2.4PS Throughput 2.422 GbpsNoFW Throughput 2.520 GbpsSystem Performance and CapacityPP4 Firewall Throughput (1518 / 512 / 64 byte, UDP)IPv6 Firewall Throughput (1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsPreveall Throughput (1618 / 512 / 86 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)'55 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels000SSL Inspection Throughput16.7 GbpsSSL Inspection Throughput (HTTP 64K)?74.8 GbpsCAPWAP Throughput (HTTP 64K)?74.8 GbpsCAPWAP Throughput (HTTP 64K)?70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches96Maximum Number of FortiAPs1024 / 512Maximum Number of FortiAPs5000	USB Ports (Client / Server)	2 /	2
Trusted Platform Module (TPM)YesIncluded Transceivers2x SFP SXSystem Performance — Enterprise Traffic Mix26 GbpsIPS Throughput 2.422 GbpsNGFW Throughput 2.422 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsIPv6 Firewall Throughput (1518 / 512 / 64 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL Inspection Throughput (Backet per Second)2000SSL Inspection Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels000SSL Inspection CPS (IPS, avg. HTTPS)318 000SSL Inspection CPS (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS)74.8 GbpsCAPWAP Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)274.8 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs (Total / Tunnel)96Maximum Number of FortiAPs (Total / Tunnel)5000	Console Port	1	
Included Transceivers2x SFP SXSystem Performance — Enterprise Traffic Mix26 GbpsIPS Throughput 226 GbpsNGFW Throughput 2.422 GbpsThreat Protection Throughput 2.520 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPv6 Firewall Throughput164 / 163 / 153 Gbps(1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsFirewall Throughput164 / 163 / 153 Gbps(1518 / 512 / 86 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)!55 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-VPN Throughput16.7 Gbps(Pes, avg HTTPS)318 000SSL Inspection Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)296Virtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs1024 / 512Maximum Number of FortiAPs5000	Onboard Storage	No	2× 480 GB
System Performance — Enterprise Traffic MixIPS Throughput 226 GbpsNGFW Throughput 2.422 GbpsThreat Protection Throughput 2.520 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPv6 Firewall Throughput164 / 163 / 153 Gbps(1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsFirewall Throughput164 / 163 / 153 Gbps(1518 / 512 / 86 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-VPN Throughput10 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)16.7 GbpsSSL Inspection Chroughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)296Virtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs (Total / Tunnel)96	Trusted Platform Module (TPM)	Ye	s
PS Throughput 226 GbpsNGFW Throughput 2.422 GbpsThreat Protection Throughput 2.520 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)3.78 / 2.5 µs*Firewall Latency (64 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)'55 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-VPN Throughput <sup>6</sup> 10 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)16.7 GbpsSSL Inspection Chroughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)270 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs (Total / Tunnel)96Maximum Number of FortiAPs (Total / Tunnel)5000	Included Transceivers	2x SF	P SX
NGFW Throughput <sup>2,4</sup> 22 GbpsThreat Protection Throughput <sup>2,5</sup> 20 GbpsSystem Performance and Capacity164 / 163 / 153 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)3.78 / 2.5 µs*Firewall Latency (64 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte) <sup>1</sup> 55 GbpsGateway-to-Gateway IPsec VPN Tunnels2000SSL-VPN Throughput <sup>6</sup> 10 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Chroughput (HTTP 64K) <sup>2</sup> 74.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs (Total / Tunnel)96Maximum Number of FortiTokens5000	${\it System Performance-Enterprise Traffic Mix}$		
Threat Protection Throughput <sup>2,5</sup> 20 GbpsSystem Performance and CapacityIPv4 Firewall Throughput164 / 163 / 153 GbpsIPv6 Firewall Throughput164 / 163 / 153 Gbps(1518 / 512 / 64 byte, UDP)3.78 / 2.5 µs*Firewall Latency (64 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput <sup>6</sup> 10 GbpsConcurrent SSL-VPN Users10 000(Recommended Maximum, Tunnel Mode)16.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 18 000SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 18 000SSL Inspection Concurrent Session (IPS, avg HTTPS) <sup>3</sup> 1.6 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches96Supported96Maximum Number of FortiTokens5000	IPS Throughput <sup>2</sup>	26 Gbps	
System Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)164 / 163 / 153 GbpsFirewall Latency (64 byte, UDP)3.78 / 2.5 µs*Firewall Latency (64 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput10 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)16.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Concurrent Session (IPS, avg HTTPS)310 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiSwitches Supported96	NGFW Throughput <sup>2, 4</sup>	22 G	bps
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)164 / 163 / 153 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)164 / 163 / 153 GbpsFirewall Latency (64 byte, UDP)3.78 / 2.5 μs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput <sup>6</sup> 10 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)16.7 GbpsSSL Inspection Throughput (IPS, avg HTTPS)31.6 MillionSSL Inspection COncurrent Session (IPS, avg HTTPS)31.6 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)5000	Threat Protection Throughput <sup>2, 5</sup>	20 G	bps
(1518 / 512 / 64 bytě, ÚDP)164 / 163 / 153 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)3.78 / 2.5 µs*Firewall Latency (64 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput610 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)16.7 GbpsSSL Inspection Throughput (IPS, avg HTTPS)318 000SSL Inspection CPS (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)5000	System Performance and Capacity		
(1518 / 512 / 86 bytě, ÚDP)Firewall Latency (64 byte, UDP)3.78 / 2.5 µs*Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput610 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)16.7 GbpsSSL Inspection Throughput (IPS, avg HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)5000	IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	164 / 163 / 153 Gbps	
Firewall Throughput (Packet per Second)229.5 MppsConcurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput610 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg HTTPS)316.7 GbpsSSL Inspection Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Concurrent Session 	IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	164 / 163 / 153 Gbps	
Concurrent Sessions (TCP)16 MillionNew Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput610 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)310 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches96Supported1024 / 512Maximum Number of FortiTokens5000	Firewall Latency (64 byte, UDP)	3.78 / 2.5 µs*	
New Sessions/Second (TCP)720 000Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput610 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg HTTPS)316.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches 	Firewall Throughput (Packet per Second)	229.5 Mpps	
Firewall Policies10 000IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput610 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg HTTPS)316.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)1024 / 512Maximum Number of FortiTokens5000	Concurrent Sessions (TCP)	16 Million	
IPsec VPN Throughput (512 byte)155 GbpsGateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput610 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg HTTPS)316.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)1024 / 512Maximum Number of FortiTokens5000	New Sessions/Second (TCP)	720 000	
Gateway-to-Gateway IPsec VPN Tunnels2000Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput <sup>6</sup> 10 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg HTTPS) <sup>3</sup> 16.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 18 000SSL Inspection Concurrent Session (IPS, avg HTTPS) <sup>3</sup> 1.6 MillionApplication Control Throughput (HTTP 64K) <sup>2</sup> 74.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)1024 / 512Maximum Number of FortiTokens5000	Firewall Policies	10 000	
Client-to-Gateway IPsec VPN Tunnels50 000SSL-VPN Throughput <sup>6</sup> 10 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg HTTPS) <sup>3</sup> 16.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 18 000SSL Inspection Concurrent Session (IPS, avg HTTPS) <sup>3</sup> 1.6 MillionApplication Control Throughput (HTTP 64K) <sup>2</sup> 74.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)1024 / 512Maximum Number of FortiTokens5000	IPsec VPN Throughput (512 byte) <sup>1</sup>	55 Gbps	
SSL-VPN Throughput <sup>6</sup> 10 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg HTTPS) <sup>3</sup> 16.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 18 000SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 18 000SSL Inspection Concurrent Session (IPS, avg HTTPS) <sup>3</sup> 1.6 MillionApplication Contorl Throughput (HTTP 64K) <sup>2</sup> 74.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)1024 / 512Maximum Number of FortiTokens5000	Gateway-to-Gateway IPsec VPN Tunnels	Sateway-to-Gateway IPsec VPN Tunnels 2000	
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)10 000SSL Inspection Throughput (IPS, avg HTTPS)316.7 GbpsSSL Inspection CPS (IPS, avg. HTTPS)318 000SSL Inspection Concurrent Session (IPS, avg HTTPS)31.6 MillionApplication Control Throughput (HTTP 64K)274.8 GbpsCAPWAP Throughput (HTTP 64K)70 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiSwitches Supported96Maximum Number of FortiAPs (Total / Tunnel)1024 / 512Maximum Number of FortiTokens5000	Client-to-Gateway IPsec VPN Tunnels 50 000		00
(Recommended Maximum, Tunnel Mode)         SSL Inspection Throughput (IPS, avg HTTPS) <sup>3</sup> 16.7 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 18 000         SSL Inspection Concurrent Session (IPS, avg HTTPS) <sup>3</sup> 1.6 Million         Application Control Throughput (HTTP 64K) <sup>2</sup> 74.8 Gbps         CAPWAP Throughput (HTTP 64K)       70 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches Supported       96         Maximum Number of FortiAPs (Total / Tunnel)       1024 / 512         Maximum Number of FortiTokens       5000	SSL-VPN Throughput <sup>6</sup>	3 10 Gbps	
(IPS, avg HTTPS) <sup>3</sup> 18 000         SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 1.6 Million         SSL Inspection Concurrent Session (IPS, avg HTTPS) <sup>3</sup> 1.6 Million         Application Control Throughput (HTTP 64K) <sup>2</sup> 74.8 Gbps         CAPWAP Throughput (HTTP 64K)       70 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches       96         Maximum Number of FortiAPs (Total / Tunnel)       1024 / 512         Maximum Number of FortiTokens       5000	Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	10 000	
SSL Inspection Concurrent Session       1.6 Million         SSL Inspection Concurrent Session       1.6 Million         Application Control Throughput (HTTP 64K) <sup>2</sup> 74.8 Gbps         CAPWAP Throughput (HTTP 64K)       70 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches       96         Supported       1024 / 512         Maximum Number of FortiTokens       5000	SSL Inspection Throughput (IPS, avg HTTPS) <sup>3</sup>	16.7 Gbps	
(IPS, avg HTTPS) <sup>3</sup> Application Control Throughput (HTTP 64K) <sup>2</sup> 74.8 Gbps         CAPWAP Throughput (HTTP 64K)       70 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches       96         Maximum Number of FortiAPs       1024 / 512         Maximum Number of FortiTokens       5000	SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 18 000		00
CAPWAP Throughput (HTTP 64K)     70 Gbps       Virtual Domains (Default / Maximum)     10 / 10       Maximum Number of FortiSwitches     96       Maximum Number of FortiAPs     1024 / 512       (Total / Tunnel)     5000	SSL Inspection Concurrent Session (IPS, avg HTTPS) <sup>3</sup>	1.6 Million	
Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiSwitches       96         Maximum Number of FortiAPs       1024 / 512         (Total / Tunnel)       5000	pplication Control Throughput (HTTP 64K) <sup>2</sup> 74.8 Gbps		bps
Maximum Number of FortiSwitches     96       Supported     96       Maximum Number of FortiAPs     1024 / 512       (Total / Tunnel)     5000	CAPWAP Throughput (HTTP 64K)	70 Gbps	
Supported       Maximum Number of FortiAPs     1024 / 512       (Total / Tunnel)     5000	Virtual Domains (Default / Maximum)	10 / 10	
(Total / Tunnel) Maximum Number of FortiTokens 5000	Maximum Number of FortiSwitches Supported	96	
	Maximum Number of FortiAPs (Total / Tunnel)	1024 / 512	
High Availability Configurations         Active-Active, Active-Passive, Clustering	Maximum Number of FortiTokens		0
	High Availability Configurations	Active-Active, Active	Passive, Clustering

Note: All performance values are	"up to" and vary dependin	g on system configuration.
----------------------------------	---------------------------	----------------------------

<sup>1</sup> IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$  IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

<sup>a</sup> SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

	FG-900G	FG-901G		
Dimensions and Power				
Height x Width x Length (inches)	1.5 × 17.	0 × 15.0		
Height x Width x Length (mm)	44.45 × 432 × 380			
Weight	15.98 lbs (7.25 kg) 16.53 lbs (			
Form Factor (supports EIA/non-EIA standards)	Rack Mount, 1RU			
AC Power Supply	100-240VAC, 50/60 Hz			
AC Current (Maximum)	6A@100VAC			
Power Consumption (Average / Maximum)	134 W / 252 W	144 W / 264 W		
Heat Dissipation	861 BTU/h	902 BTU/h		
Power Supply Efficiency Rating	80Plus Compliant			
Redundant Power Supplies (Hot Swappable)	Yes (comes with 2PSU default)			
Operating Environment and Certifications				
Operating Temperature	32°-113°F (0°-45°C)			
Storage Temperature	-31°-158°F (-35°-70°C)			
Humidity	10%–90% non-condensing			
Noise Level	58 dBA			
Forced Airflow	Side and Front to Back			
Operating Altitude	Up to 10 000 ft (3048 m)			
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB			
Certifications	USGv6/IPv6			

\* Latency based on Ultra Low Latency (ULL) ports.

<sup>4</sup> NGFW performance is measured with Firewall, IPS and Application Control enabled.

<sup>5</sup> Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

<sup>6</sup> Uses RSA-2048 certificate.

# Subscriptions

			Bundles		
Service Category	Service Offering	A-la-carte	Enterprise Protection	Unified Threat Protection	Advanced Threat Protection
Security Services	FortiGuard IPS Service	•	•	•	•
	FortiGuard Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
	FortiGuard Web Security — URL and web content , Video and Secure DNS Filtering	•	•	•	
	FortiGuard Anti-Spam		•	•	
	FortiGuard IoT Detection Service	•	•		
	FortiGuard Industrial Security Service	•	•		
	FortiCloud AI-based Inline Sandbox Service <sup>1</sup>	•			
NOC Services	FortiGate Cloud (SMB Logging + Cloud Management)	•			
	FortiGuard Security Fabric Rating & Compliance Monitoring Service	•	•		
	FortiConverter Service	•	•		
	FortiGuard SD-WAN Underlay Bandwidth and Quality Monitoring Service	•			
SOC Services	FortiAnalyzer Cloud	•			
	FortiAnalyzer Cloud with SOCaaS	•			
Hardware and Software Support	FortiCare Essentials	•			
	FortiCare Premium	•	•	•	•
	FortiCare Elite	•			
Base Services	FortiGuard Application Control				
	FortiCloud ZTNA Inline CASB Service <sup>1</sup>				
	Internet Service (SaaS) DB Updates				
	GeoIP DB Updates	included with FortiCare Subscription			
	Device/OS Detection Signatures				
	Trusted Certificate DB Updates				
	DDNS (v4/v6) Service				

1. Available when running FortiOS 7.2



### FortiGuard Bundles

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

### FortiCare Elite

FortiCare Elite services offers enhanced service-level agreements (SLAs) and accelerated issue resolution. This advanced support offering provides access to a dedicated support team. Single-touch ticket handling by the expert technical team streamlines resolution. This option also provides Extended End-of-Engineering-Support (EoE's) of 18 months for added flexibility and access to the new FortiCare Elite Portal. This intuitive portal provides a single unified view of device and security health.

### Fortinet CSR Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.

# **Ordering Information**

Product	SKU	Description
FortiGate 900G	FG-900G	4× 25G SFP28 slots, 4 × 10GE SFP+ slots, 17 x GE RJ45 ports (including 1 x MGMT port, 16 x switch ports), 1 X 2.5G HA port, 8 x GE SFP slots, SPU NP7 and CP9 hardware accelerated, dual AC PSU.
FortiGate 901G	FG-901G	4× 25G SFP28 slots, 4 × 10GE SFP+ slots, 17 x GE RJ45 ports (including 1 x MGMT port, 16 x switch ports), 1 X 2.5G HA port, 8 x GE SFP slots, SPU NP7 and CP9 hardware accelerated, 2x 480GB onboard SSD storage, dual AC PSU.
Optional Accessories	SKU	Description
AC Power Supply	SP-FG400F-PS	AC power supply for FG-400/401F, FG-600/601F, and FG-900/901G power cable SP-FGPCOR-XX sold separately.
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10GE SFP+ Transceiver Module, 30km Long Range	FN-TRAN-SFP+BD27	10GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD33, ordered separately)
10GE SFP+ Transceiver Module, (connects to FN- TRAN-SFP+BD27, ordered separately)	FN-TRAN-SFP+BD33	10GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD27, ordered separately)
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
25 GE SFP28 Transceiver Module, Short Range	FN-TRAN-SFP28-SR	25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Long Range	FN-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.
25 GE SFP28 Passive Direct Attach Cable	FN-CABLE-SFP28-1	25 GE SFP28 passive direct attach cable 1m for systems with SFP28 slots.
25 GE SFP28 Passive Direct Attach Cable	FN-CABLE-SFP28-3	25 GE SFP28 passive direct attach cable 3m for systems with SFP28 slots.
25 GE SFP28 Passive Direct Attach Cable	FN-CABLE-SFP28-5	25 GE SFP28 passive direct attach cable 5m for systems with SFP28 slots.



# **F;R**TINET

www.fortinet.com

Copyright © 2023 Fortinet, Inc. All rights reserved. FortiGate<sup>6</sup>, Fortinet<sup>6</sup>, Fortinet